
vishap Documentation

Release 0.1.4

Artur Barseghyan <artur.barseghyan@gmail.com>

January 15, 2015

1	Installation	3
2	Usage and examples	5
2.1	Simple usage	5
3	Django integration	7
3.1	Installation	7
3.2	Usage	7
4	Missing a plugin?	9
5	License	11
6	Support	13
7	Author	15
8	Documentation	17
9	Indices and tables	19

Generate embed (HTML) code of services like Youtube or Vimeo from URLs given. Rules are specified in the plugins. Comes with plugins for the following services (listed in alphabetical order):

- Vimeo
- Youtube

Installation

Install with latest stable version from PyPI:

```
$ pip install vishap
```

or install the latest stable version from bitbucket:

```
$ pip install -e hg+https://bitbucket.org/barseghyanartur/vishap@stable#egg=vishap
```

or install the latest stable version from github:

```
$ pip install -e git+http://github.org/barseghyanartur/vishap@stable#egg=vishap
```

That's all. See the *Usage and examples* section for more.

Usage and examples

2.1 Simple usage

Required imports

```
from vishap import render_video
```

2.1.1 Rendering Vimeo code

The following code:

```
print render_video('http://vimeo.com/45655450', 500, 281)
```

Would result the following output:

```
<iframe src="//player.vimeo.com/video/45655450" width="500" height="281"
frameborder="0" webkitallowfullscreen mozallowfullscreen allowfullscreen>
</iframe>
```

2.1.2 Rendering Youtube code

The following code:

```
print render_video('http://www.youtube.com/watch?v=LIP17PtGXNI', 560, 315)
```

Would result the following output:

```
<iframe width="560" height="315" src="//www.youtube.com/embed/LIP17PtGXNI"
frameborder="0" allowfullscreen></iframe>
```

2.1.3 Filling available area

If you want your embed code to fill the available area, render it without `width` and `height` attributes and place it in a container to which it shall stretch.

Example:

```
s = """<div class="video-wrapper">
{embed_code}
</div>"""
embed_code = render_video('http://www.youtube.com/watch?v=LIP17PtGXNI')
)
```

It would then result the following output:

```
<iframe src="//www.youtube.com/embed/LIP17PtGXNI"
frameborder="0" allowfullscreen></iframe>
```

Your CSS file should then look similar to the following

```
.video-wrapper {
    width: 600px;
    height: 500px;
    padding: 0;
}

.video-wrapper iframe {
    position: absolute;
    width: 100%;
    height: 100%;
}
```

2.1.4 Register a custom plugin

```
class ExamplePlugin(BaseVideoPlugin):
    uid = "example"
    name = "Example"
    url_pattern = "(?P<prefix>(http:\\\\www\\.youtube\\.com\\/watch\\?v=) | (http:\\\\www\\.youtube\\.com\\
id_pattern = "(?P<value>[A-Za-z0-9\\-=_] {11})"
    thumbnail_pattern = "//img.youtube.com/vi/{0}/{1}.jpg"
    embed_code = """
<iframe src="//www.youtube.com/embed/{video_id}" {options} frameborder="0" allowfullscreen></ifra
"""
```

```
plugin_registry.register(ExamplePlugin)
```

2.1.5 Replacing existing plugin

If you want to replace/update existing plugin, you can force register it in the registry.

```
class UpdatedYoutubePlugin(BaseVideoPlugin):
    uid = "youtube"
    name = "Youtube"
    url_pattern = "(?P<prefix>(http:\\\\www\\.youtube\\.com\\/watch\\?v=) | (http:\\\\www\\.youtube\\.com\\
id_pattern = "(?P<value>[A-Za-z0-9\\-=_] {11})"
    thumbnail_pattern = "//img.youtube.com/vi/{0}/{1}.jpg"
    embed_code = """
<iframe src="//www.youtube.com/embed/{video_id}" {options} frameborder="0" allowfullscreen></ifra
"""
```

```
plugin_registry.register(UpdatedYoutubePlugin, force=True)
```

Django integration

3.1 Installation

Add *vishap.contrib.apps.django.vishap* to *INSTALLED_APPS*

```
INSTALLED_APPS = (  
    # ...  
    'vishap.contrib.apps.django.vishap',  
    # ...  
)
```

3.2 Usage

In your template:

Example #1:

```
{% load vishap_tags %}  
{% render_video 'http://www.youtube.com/watch?v=LIPl7PtGXNI' 560 315 as rendered_video_example_1 %}  
{{ rendered_video_example_1|safe }}
```

Example #2:

```
{% load vishap_tags %}  
{% with video_url='http://vimeo.com/41055612' video_width='500' video_height='281' %}  
{% render_video video_url video_width video_height as rendered_video_example_2 %}  
{{ rendered_video_example_2|safe }}  
{% endwith %}
```

Missing a plugin?

Missing a plugin for your favourite service? Contribute to the project by making one and it will appear in a new version (which will be released very quickly) or request a feature.

License

GPL 2.0/LGPL 2.1

Support

For any issues contact me at the e-mail given in the *Author* section.

Author

Artur Barseghyan <artur.barseghyan@gmail.com>

Documentation

Contents:

Indices and tables

- *genindex*
- *modindex*
- *search*